Hydrobiologia

The International Journal on Limnology and Marine Sciences

Contents

Volume 397

Opinion
Taxonomy and biodiversity
by K. Martens & M. Hamer 1–3

Neodiaphanosoma a new genus of Sididae (Branchiopoda, Ctenopoda); with description of *N. bergamini* sp. n. and comments on *N. volzi* (Stingelin 1905)
by J.C. Paggi & C.E.F. da Rocha 5–19

Taxonomy and morphology of limnic microturbellarians (Plathelminthes) in Extremadura (Spain)
by C. Noreña, A. del Campo & M. del Real 21–28

First data on an Index of Biotic Integrity (IBI) based on fish assemblages for the assessment of the impact of deforestation in a tropical West African river system
by A. Kamdem Toham & G.G. Teugels 29–38

Microlaimidae (Microlaimoidea: Nematoda) from the Indian Ocean: description of nine new and known species
by A.W. Muthumbi & M. Vincx 39–58

Seasonal and spatial changes in the sediment organic matter of a semi-enclosed marine system (W-Mediterranean Sea)
by A. Pusceddu, G. Sarà, M. Armeni, M. Fabiano & A. Mazzola 59–70

Environmental factors associated with the distribution of *Simulium perflavum* (Diptera: Simuliidae) among streams in Brazilian Amazonia
by N. Hamada & J.W. McCreadie 71–78

A generic index of diatom assemblages as bioindicator of pollution in the Keelung River of Taiwan
by J.-T. Wu 79–87

Rare earth elements and heavy metal distribution in estuarine sediments of east coast of India
by R. Ramesh, A.L. Ramanathan, R.A. James, V. Subramanian, S.B. Jacobsen & H.D. Holland 89–99

Variation in rostral dentition and telson setation in a saltmarsh population of *Palaemonetes varians* (Leach) (Crustacea: Decapoda: Palaemonidae)
by S. De Grave 101–108

Toxic algae and fish mortality in a brackish-water lake in Åland, SW Finland
by T. Lindholm, P. Öhman, K. Kurki-Helasmo, B. Kincaid & J. Meriluoto 109–120

Chironomid assemblage of a Lower-Rhône dike field: relationships between substratum and biodiversity
by E. Franquet 121–131

Three new species of *Apheviderulix gen. nov.* and proposal of Apheviderulicidae *fam. nov.* (Acari: Hydrachnidia: Eylaoidea)
by R. Gerecke, I.M. Smith & D.R. Cook 133–147

Evidence for an aquatic plant origin of ketones found in Taihu Lake sediments
by Qu Wenchuan, M. Dickman, Wang Sumin, Wu Ruijin, Zhang Pingzhong & Chen Jianfa ... 149–154
Nematodes as indicators of pollution: a case study from the Swartkops River system, South Africa
by T.K. Gyedu-Ababio, J.P. Furstenberg, D. Baird & A. Vanreusel 155–169
Relationships between trematode infection and habitat depth in a freshwater snail, *Semisulcospira libertina* (Gould)
by K. Shinagawa, M. Urabe & M. Nagoshi 171–178
Driftwood: an alternative habitat for macroinvertebrates in a large desert river
by G.A. Haden, D.W. Blinn, J.P. Shannon & K.P. Wilson 179–186
Trace metal concentrations in coastal marshes of the Lower Paraná River and the Río de la Plata Estuary
by C. Villar, J. Stripeikis, M. Tudino, L. d'Huicque, O. Troccoli & C. Bonetto 187–195
Meiobenthic arthropod communities in new streams in Glacier Bay National Park, Alaska
by A.L. Robertson & A.M. Milner 197–209
Relationships between metals and hyporheic invertebrate community structure in a river recovering from metals contamination
by S.M. Nelson & R.A. Roline 211–226
Periphyton biomass on *Echinochloa polystachya* (H.B.K.) Hitch. of a lake of the Lower Paraná River floodplain, Argentina
by H. Pizarro 227–239
Modelling advective transport of *Ulva lactuca* (L) in the sheltered bay, Møllekrogen, Roskilde Fjord, Denmark
by J. Salomonsen, M. Flindt, O. Geertz-Hansen & C. Johansen 241–252

Book reviews 253–256

Author Index 257